



July 10, 2015

Reference No. 080319

Freedom of Information Office
U.S. EPA Region 4
SNAFC Building, 9th Floor
61 Forsyth Street Southwest
Atlanta, Georgia 30303-8960

To Whom It May Concern:

**Re: Bowling Green Assembly
600 Corvette Drive
Bowling Green, Kentucky 42101
EPA Registry ID: 110000568350
Kentucky Department for Environmental Protection (KDEP) Interest/Facility ID: 4109**

GHD is requesting the following information under the Freedom of Information Act (FOIA) from all divisions of the United States (U.S.) Environmental Protection Agency (EPA) Region 4 for the address listed above.

Specifically, we are seeking any information about or relating to the following:

1. Resource Conservation and Recovery Act (RCRA) Corrective Action:

- a. A copy of the Preliminary Assessment (KYD000622993) conducted on 9/30/1994 and any associated correspondence
- b. A copy of the RFI Work Plan (KYD000622993) received on 7/5/1995 any associated correspondence
- c. Copies of any additional Preliminary Assessments, Visual Site Inspections, RFI Work Plans, RFI Reports, documentation of cleanup and related correspondence (KYD000622993)
- d. Copies of any correspondence regarding the permitting of RCRA hazardous waste storage areas at the facility and whether the facility is considered a "protective filer" for a hazardous waste storage permit application.
- e. Copies of any correspondence indicating whether RCRA Corrective Action will be necessary at the facility.
- f. Copies of any correspondence indicating whether RCRA Correction has been completed at the facility.

2. State Hazardous Waste Site: 4109

- a. Inspections, Assessments, Open Violations, and Reports associated with State Hazardous Waste Site: 4109

3. Any open violations associated with the address above.

Available state and federal program IDs are presented below:

- a. RCRA (KYD000622993)
- b. Clean Water Act (KY0079545)
- c. Clean Air Act (KY0000002122700005, 100000159598)
- d. Air Emissions Inventory (7928611)
- e. Toxic Releases (42101GNRLMI65US)
- f. Air Quality Permit (V-11-025 R2)
- g. National Pollutant Discharge Elimination System (KY0079545)

4. Underground storage tanks (USTs)

- a. Any UST files associated with the address above
- b. Any UST files associated with the removal of a 2,000-gallon gasoline UST on 10/01/1989 (owner listed as City of Bowling Green Department of Public Works)

5. Spills/releases of hazardous materials

- a. Any files related to spills/releases of hazardous materials associated with the Site address
- b. Any information related to the below Spill/facility IDs (dates are provided if available) identified in the Emergency Response Notification System
 - i. ID: 94412418 – 12/19/1994
 - ii. ID: 93309020 – 3/21/1993
- c. Emergency response actions related to environmental issues

6. Spills or releases associated with the following nearby facilities and plume extent if known

- a. Allied Automotive - 1200 Corvette Drive
- b. Automasters - 790 Interstate Drive
- c. Harrison Road Transfer Station – Solid Waste Landfill –471 Harrison Road, Facility ID: 40061 (Historical Facility ID: 114-00044)

7. Any other records that may indicate that this property has been adversely impacted from an environmental perspective.

Please contact me prior to proceeding with an estimate of copy costs, if files exist, at your earliest convenience. You may respond in writing to me at 1880 Assumption St, Unit 200, Windsor, Ontario or via email at julie.charlton@ghd.com.

If you have any questions regarding this request, please contact me at 519-966-9886. Thank you for your time and have a nice day!

Sincerely,

GHD

A handwritten signature in blue ink that reads "Julie Charlton". The script is cursive and fluid, with the first name "Julie" and last name "Charlton" clearly distinguishable.

Julie Charlton

ECG/sp/1